

- Ab initio calculations on the isomerization of alkene radical cations, 577
- Acetonitrile chemical ionization tandem mass spectrometry, of polyunsaturated fatty acid methyl esters, 1253
- Activation of C_2H_6 , C_3H_8 , $HC(CH_3)_3$, and $c-C_3H_6$ by gas-phase Ru^+ and the thermochemistry of Ru-ligand complexes, 821
- Airborne particles, on-line analysis of, 648
- Alanine, gas-phase acidity of, theoretical calculations of, 318
- Aldose reductase inhibitors, binding of, crystallographic and MS studies of, 635
- Alkali ions, poly(ethylene terephthalate) oligomers cationized by, 883
- Alkene radical ions, isomerization of, 577
- Alkyl ethoxysulfate, APCI-MS of, 529
- Analysis of triacylglycerols and whole oils by MALDI/TOFMS, 983
- Analyte response, salt concentration and, ESI-MS of, 625
- APCI. *See* Atmospheric pressure chemical ionization
- Apparent proton affinities of highly charged peptide ions, 483
- Applications of external customized waveforms to a commercial quadrupole ion trap, 355
- Argon, reaction with CO_2 and SO_2 , rate constants for as functions of temperature, 815
- "Ate" class, distonic ions of, 896
- Atmospheric pressure chemical ionization, of fluorinated phenols in APCI-MS, MS/MS, and IMS, 1157
- Atmospheric pressure chemical ionization-mass spectrometry alkyl ethoxysulfate mixture analysis by, 529
- of nitrocatechol glucuronides, 537
- Atorvastatin and active metabolites, in plasma, HPLC-MS/MS of, 55
- Automation
- of data massaging, interpretation, and E-mailing modules for high throughput open access MS, 1174
 - of FT-ICR MS for acquisition, analysis, and E-mailing of high-resolution exact-mass ESI MS data, 1166
 - of high resolution MS for the synthetic chemistry, 546
 - of MS imaging with a MALDI-TOF instrument, 67
- Bacteria
- MALDI-MS of, internal control for, 1131
 - whole, MS profiling of, electron and chemical ionization mode in, 747
- Basicities, gas-phase, of deprotonated monomeric and dimeric ferulic and sinapic acids, 1111
- Benzenedicarboxylic esters, molecular ions of, collision with oxygen, in quadrupole MS, 1248
- Benzidine in environmental samples, FT-ICR MS of, 1152
- 1-(2-Benzothiazolyl)-3,5-diphenyl formazans, gas-phase oxidation and reduction of, 339
- Betabellin 15D, metal binding and proteolysis of, 969
- Binding of aldose reductase inhibitors: correlation of crystallographic and MS studies, 635
- Bioaerosol detection, pyrolysis MS in, 502
- Biological molecules, gas-phase conformations of, 9
- Blackbody infrared radiative dissociation, to measure deoxyribose nucleotide dimer anion dissociation energies, 1095
- Book Reviews
- Focus on Analytical Spectrometry: A Compendium of Applied Spectroscopy Focal Point Articles (1994-1997)*, 783
 - GC/MS: A Practical User's Guide*, 364
 - Global View of LC/MS*, 78
 - Practical Aspects of Ion Trap Mass Spectrometry*, 80
 - ZEKE Spectroscopy*, 456
- Bovine pancreatic trypsin inhibitor, hydroiodic acid attachment to, 552
- ^{13}C , IRMS detection of, 153
- C_2H_6 , C_3H_8 , $HC(CH_3)_3$, and $c-C_3H_6$, activation by gas-phase Ru^+ , 821
- $C_6H_5^+$ and $C_6H_6^{+ \cdot}$ cations, structural probe for, charge inversion as, 878
- CAD. *See* Collisionally activated dissociation
- Calcium
- calmodulin interaction with, H/D exchange in, 711
 - small conformational changes induced by, in cardiac troponin C, 703
- Calcium-induced noncovalently linked tetramers of MRP8 and MRP14 detected by ultraviolet MALDI-MS, 1124
- Calibration of mass ranges up to m/z 10,000 in electrospray mass spectrometers, 273
- Calmodulin, calcium interaction with, ESI-MS and H/D exchange of, 711
- Capillary electrophoresis-electrospray ionization-time-of-flight mass spectrometry, of single intact cell hemoglobin, 184
- Capillary electrophoresis-mass spectrometry, electroosmotic flow in, electrospray needle voltage and, 261
- Capillary electrophoresis-nanoelectrospray mass spectrometry, electrochemical properties of, 309
- Capillary zone electrophoresis-mass spectrometry, sheathless, applied to peptide analysis, 1271
- CE. *See* Capillary electrophoresis
- Cell culture media, pyrolysis MS of, 502
- Characterization of a single crystal cubic Prussian blue $Co_8(tacn)_8(CN)_{12}$ cluster by ion trap and FT-ICR MS with microelectrospray ionization, 352
- Characterization of an improved thermal ionization cavity source for MS, 1008
- Charge inversion as a structural probe for $C_6H_5^+$ and $C_6H_6^{+ \cdot}$ cations, 878
- Charge-remote fragmentations, under MALDI-PSD, 217
- Chelation, effect on ESI-MS of diketone/metal ion complexes, 402
- Chemical weapons-related compounds, detection of, with postcolumn derivatization LC-MS, 440
- CH_3I^- anion, photoelectron spectrum of, 810
- 3-Chlorobenzidine in environmental samples, FT-ICR MS of, 1152
- $CH_3O-C(=O)-C(=O)-OCH_3^+$, breaking of, loss of $CH_3^+ + CO_2$ versus $CH_3O-C=O$ in, 869
- CID. *See* Collision-induced dissociation

- Cl-P⁺-Cl, reactivity toward cyclic organic ethers, 379
- Collision of molecular anions of benzenedicarboxylic esters with oxygen in a triple quadrupole mass spectrometer, 1248
- Collisionally activated dissociation, ESI-MS using of Li⁺ adducts of unsaturated fatty acids, 600
- in structural characterization of triacylglycerols, 587
- Collision-induced dissociation. *See also* Electrospray ionization–collision-induced dissociation
- Cr(CO)₅[−], gas-phase, relaxation of, 950
- Critical evaluation of a comprehensive mass spectral library, 287, 565
- Cross sections, of peptide ions, data base of, 1188
- 18-Crown-6, protonated, FT-ICR hydration of, 862
- Crystallography, of binding of aldose reductase inhibitors, 635
- Cyclic peptide fragments, nomenclature for labeling of, 360
- Cysteic acid groups, effects on gas-phase reactivity and dissociation of [M + 4H]⁴⁺ ions from insulin chain B, 928
- CZE. *See* Capillary zone electrophoresis
- Data processing in on-line laser MS of inorganic, organic, or biological airborne particles, 648
- Database of 660 peptide ion cross sections: use of intrinsic size parameters for bona fide predictions of cross sections, 1188
- Deoxyribose nucleotide dimer anions, dissociation energies of, 1095
- Detection of pharmaceutical compounds in tissue by MALDI nd laser desorption/chemical ionization MS/MS with a quadrupole ion trap, 1315
- Determination of the dissociation kinetics of a transient intermediate, 119
- Determination of thermal energy and its distribution in peptides, 323
- Determination of 3,3'-dichlorobenzidine and its degradation products in environmental samples with a small low-field FT-ICR mass spectrometer, 1152
- Determining anomericity of the glycosidic bond in Zn(II)-diethylenetriamine-disaccharide complexes using MSⁿ in a quadrupole ion trap, 269
- Deuterium. *See also* Hydrogen/deuterium exchange
- Deuterium exchange behavior, of ERK2, pepsin mapping of, 685
- Development and validation of a HPLC MS/MS assay for atorvastatin, ortho-hydroxy atorvastatin, and para-hydroxy atorvastatin in human, dog, and rat plasma, 55
- Diagnosis of clinical disease, MS in, 561
- Dicarboxylic acid, ESI-MS of, 557
- 3,3'-Dichlorobenzidine in environmental samples, FT-ICR MS of, 1152
- Differentiation of isomeric photomodified oligodeoxynucleotides by fragmentation of ions produced by MALDI and ESI, 329
- Diketone/metal ion complexes, ESI-MS of, 402
- Dinitrofluorobenzene, product ion assignment with, 448
- Diophantine mass spectrometric structure analysis, 231
- Direct association equilibrium in the FT-ICR ion trap: hydration equilibrium of protonated 18-crown-6, 862
- Direct monitoring of protein-chemical reactions utilizing nano-electrospray MS, 112
- Dissociation energies of deoxyribose nucleotide dimer anions measured using blackbody infrared radiative dissociation, 1095
- Dissociation kinetics, of a transient intermediate, 119
- Dissociation of doubly charged transition metal/polyether/pyridyl ligand complexes in a quadrupole ion trap MS, 126
- Distinction among isomeric unsaturated fatty acids as lithiated adducts by ESI-MS using low energy CAD on a triple stage quadrupole instrument, 600
- Distonic ions of the "ate" class, 896
- DNA, secondary structure of, MALDI of, 521
- DNA fragment ions, high resolution characterization of, 423
- Do charge-remote fragmentations occur under MALDI post-source decompositions and MALDI collisionally activated decompositions?, 217
- Drug metabolites, structural elucidation of, tandem quadrupole orthogonal TOFMS for, 1305
- Dynamic reaction cell for inductively coupled plasma mass spectrometry (ICP-DRC-MS). II. Reduction of interferences produced within the cell, 1083
- Editorials
- focus on H/D exchange of proteins in solution, 671
- on the Freiser legacy, 917
- on physical aspects of gas-phase ion chemistry, 797
- Effect of electrospray needle voltage on electroosmotic flow in capillary electrophoresis–mass spectrometry, 261
- Effects of cysteic acid groups on the gas-phase reactivity and dissociation of [M + 4H]⁴⁺ ions from insulin chain B, 928
- Effects of electron and chemical ionization modes on the MS profiling of whole bacteria, 747
- Effects of salt concentration on an analyte response using ESI-MS, 625
- Electric ion resonance cell, for FTMS, 1000
- Electrochemical properties of capillary electrophoresis–nanoelectrospray mass spectrometry, 309
- Electrospray ionization
- differentiation of isomeric photomodified oligodeoxynucleotides by fragmentation of ions produced by, 329
- gas-phase ions formed by, hydration of, 958
- of nitrocatechol glucuronides, 537
- Electrospray ionization–collision-induced dissociation, in serum drug detection, 1028
- Electrospray ionization–field asymmetric waveform ion mobility spectrometry–mass spectrometry, of leucine enkephalin, 492
- Electrospray ionization–Fourier transform mass spectrometry, of external ion accumulation of poly(ethylene)glycol, 1298
- Electrospray ionization–high field asymmetric waveform ion mobility spectrometry–mass spectrometry, in separation of leucine and isoleucine anions, 1279
- Electrospray ionization–mass spectrometry
- comprehensive library of, 287, 565
- of diketone/metal ion complexes, 402
- exact-mass data from, FT-ICR MS automation and, 1166
- hydrogen/deuterium exchange for probing the interaction of calmodulin with calcium, 711
- of Li⁺ adducts of unsaturated fatty acids, 600
- of microcystins, cyclic heptapeptide hepatotoxins: modulation of charge states and [M + H]⁺ to [M + Na]⁺ ratio, 1138
- of proton affinities, 483
- of salt concentration effect on analyte response, 625
- of self-assembled 1,1'-ferrocenedicarboxylic acid, 557
- solvent-cation binding in, 254
- structural characterization of triacylglycerols by, 587
- Electrospray mass spectrometry
- nonmetallized tip for, 72
- plasma peptide mapping with, 45
- of protein electroeluted from sodium dodecylsulfate polyacrylamide gel electrophoresis gels, 453
- Electrospray needle voltage, in CE-MS, 261
- Electrostatic ion traps, multiply reflecting, stability for, 241
- EMS. *See* Electrospray mass spectrometry
- Enhanced detection of phosphopeptides in MALDI-MS using ammonium salts, 35
- Enol ion, of methyl propionate heat of formation, 200

- ERK2, deuterium exchange behavior of, pepsin mapping of, 685
- ESI. *See* Electrospray ionization
- ESI-MS. *See* Electrospray ionization–mass spectrometry
- Ethene loss kinetics of methyl 2-methyl butanoate ions studied by threshold photoelectron-photoion coincidence: enol ion of methyl propionate heat of formation, 200
- Ethers, cyclic organic, Cl–P⁺–Cl reactivity toward, 379
- Exact-mass measurements
- from ESI-MS
 - FT-ICR MS automation and, 1166
 - on-line acquisition, analysis, and E-mailing of, 1212
 - of product ions for the structural elucidation of drug metabolites with tandem quadrupole orthogonal-acceleration TOFMS, 1305
 - using 7 tesla FT-ICR MS in a good laboratory practices-regulated environment, 1291
- Experimental and theoretical studies of the basicity and proton affinity of SiF₄ and the structure of SiF₄H⁺, 848
- External ion accumulation of low molecular weight poly(ethylene glycol) by ESI-FTMS, 1298
- FAB MS/MS. *See* Fast-atom bombardment tandem mass spectrometry
- FAIMS. *See* Field asymmetric waveform ion mobility spectrometry
- Fast-atom bombardment tandem mass spectrometry, of lipophilic phosphotriesters, 975
- Fatty acid(s)
- methyl esters of, isotopomer abundances of, fragmentation effects on, 430
 - polyunsaturated, methyl esters of, CI-MS/MS of, 1253
 - unsaturated, lithium adducts of, ESI-MS of using CAD, 600
- Ferrocenedicarboxylic acid, ESI-MS of, 557
- Ferulic acids, deprotonated monomeric and dimeric, gas phase basicities of, 1111
- Field asymmetric waveform ion mobility spectrometry
- of leucine enkephalin, 492
 - in separation of leucine and isoleucine anions, 1279
- Fingerprint patterns from laser-induced azido photochemistry of spin-labeled photoaffinity ATP analogs in MALDI-MS, 1337
- Flow injection with chemical reaction interface-isotope ratio mass spectrometry: alternative to off-line combustion for detecting low levels of enriched ¹³C in mass balance studies, 153
- Fluorinated phenols, APCI-MS of, 1157
- Fluorophenyl anions, gas-phase H/D exchange of, 840
- Formation and characterization of iron-oligonucleotide complex with MALDI FT-ICR MS, 941
- Fourier transform ion cyclotron resonance
- hydration of protonated 18-crown-6 by, 862
 - of multiply charged aggregates of small singly charged peptides formed by electrospray ionization, 347
 - single crystal characterization by, 352
- Fourier transform ion cyclotron resonance mass spectrometry
- automation of, 1166
 - in detection of small Ca²⁺-induced conformational changes in the regulatory domain of human cardiac troponin C, 703
 - exact-mass measurement using, 1291
 - in a high homogeneity 25 tesla resistive magnet, 265
 - high pressure chemistry in, split-pair magnet in, 918
 - laser desorption in, 1105
 - matrix-shimmed cubic penning trap for, 759
 - in structural validation of saccharomycins, 1285
- Fourier transform mass spectrometry
- electric ion resonance cell design for, 1000
 - isotope beating effects in, 1074
 - of LHRH-metal ion complexes, 19
 - pressure-limited SORI-CAD in, 15
- Fragmentation of molecules sliding along surfaces in the speed range above thermal and below Bohr velocity, 471
- Fragmentation of substituted oxonium ions: role of ion-neutral complexes, 386
- FT-ICR MS. *See* Fourier transform ion cyclotron resonance mass spectrometry
- FTMS. *See* Fourier transform mass spectrometry
- Gas chromatography/mass spectrometry, spectrum extraction and compound identification data from, 770
- Gaseous protein ion structure, hydroiodic acid attachment kinetics of, 552
- Gas-phase
- acidity, of glycine and alanine, theoretical calculations of, 318
 - basicity, of deprotonated monomeric and dimeric ferulic and sinapic acids, 1111
 - conformations of biological molecules: the hydrogen/deuterium exchange mechanism, 9
 - Cr(CO)₅[–], relaxation of, 950
 - H/D exchange reactions of fluorophenyl anions, 840
 - ion chemistry, 797
 - ions formed by ESI, hydration of, 958
 - oxidation and reduction of some 1-(2-benzothiazolyl)-3,5-diphenyl formazans: complex formation with transition metals under laser desorption ionization, 339
 - reactivity and dissociation of [M + 4H]⁴⁺ ions from insulin chain B, cysteic acid group effect on, 928
 - Ru⁺, activation of C₂H₆, C₃H₈, HC(CH₃)₃, and *c*-C₃H₆ by, 821
- GC/MS. *See* Gas chromatography/mass spectrometry
- Glucopyranosides, FAB MS/MS of, 975
- Glycine, gas-phase acidity of, theoretical calculations of, 318
- Glycosidic bond, anomericity of, by quadrupole ion trap, 269
- α-Glycyl cation, radical, and anion (H₂NCH^{+/·/–}COOH): generation and characterization in the gas phase, 1241
- H/D exchange. *See* Hydrogen/deuterium exchange
- Heart, troponin C in, small Ca²⁺-induced conformational changes in, 703
- Hemoglobin, of single intact cell, CE/ESI-TOFMS of, 184
- Hepatotoxins, cyclic heptapeptide, ESI-MS of, 1138
- High field asymmetric waveform ion mobility spectrometry–mass spectrometry: investigation of leucine enkephalin ions produced by ESI, 492
- High mass ranges, calibration of, 273
- High performance liquid chromatography–tandem mass spectrometry, of plasma atorvastatin and active metabolites, 55
- High pressure chemistry in a FT-ICR–MS using a split-pair magnet, 918
- High resolution characterization of DNA fragment ions produced by UV MALDI using linear and reflecting TOFMS, 423
- High resolution mass spectrometry, for synthetic chemistry, 546
- High-throughput sample preparation and analysis using 96-well membrane solid-phase extraction and LC-MS/MS for the determination of steroids in human urine, 1322
- How do dimethyl oxalate ions CH₃O–C(=O)–C(=O)–OCH₃⁺ break in half? Loss of CH₃⁺ + CO₂ versus CH₃O–C=O, 869
- HPLC-MS/MS. *See* High performance liquid chromatography–tandem mass spectrometry
- Hydration of gas-phase ions formed by ESI, 958
- Hydrogen/deuterium exchange, 9
- of calmodulin interaction with calcium, 711
 - of fluorophenyl anions, 840
 - gas-phase, of fluorophenyl anions, 840

- of peptide conformational changes, 719
of proteins
 continuous versus pulsed labeling/MS of, 675
 in solution, MS of, 671, 672
Hydroiodic acid attachment kinetics as a chemical probe of gaseous protein ion structure: bovine pancreatic trypsin inhibitor, 552
Hydrophilic compounds, ultratrace determination of, 1328
- ICP-DRC-MS. *See* Inductively coupled plasma mass spectrometry
ICR MS. *See* Ion cyclotron resonance mass spectrometer
Ideal velocity focusing in a reflectron TOFMS, 992
Identification of in vitro metabolites of Indinavir by intelligent automated LC-MS/MS (INTAMS) utilizing triple quadrupole MS/MS, 175
Identification of single stranded regions of DNA by enzymatic digestion with MALDI analysis, 521
IMS. *See* Ion mobility spectrometry
Indinavir, metabolites of, INTAMS of, 175
Inductively coupled plasma mass spectrometry, dynamic reaction cell for, interference reduction in, 1083
Infrared multiphoton dissociation tandem mass spectrometry, in structural validation of saccharomycins, 1285
Insulin chain B, gas-phase reactivity and dissociation of $[M + 4H]^{4+}$ ions from, cysteic acid group effect on, 928
INTAMS. *See* Intelligent automated liquid chromatography–tandem mass spectrometry
Integrated method for spectrum extraction and compound identification from GC/MS data, 770
Intelligent automated liquid chromatography–tandem mass spectrometry, Indinavir metabolite identification by, 175
Interference reduction, in ICP-DRC-MS, 1083
Investigation of cell culture media infected with viruses by pyrolysis MS: implications for bioaerosol detection, 502
Investigation of the formation of M_2^+ -molecular ions in sputtering processes, 246
Investigations of matrix-assisted laser desorption/ionization sample preparation by TOF secondary ion MS, 104
Ion cyclotron resonance mass spectrometer, realistic simulation of, 136
Ion mobility spectrometry, APCI of fluorinated phenols in, 1157
Ion resonance cell, for FTMS, 1000
Ion trap
 matrix-shimmed, for excitation, detection, quadrupolar axialization, and trapping, 759
 single crystal characterization by, 352
Ion trap mass spectrometry. *See also* Quadrupole ion trap mass spectrometry
 cyclic peptide sequencing in, multistep MS/MS for, 732
 practical aspects of, 80
Ionization cavity, thermal, for MS, 1008
Ionization mode, in MS profiling of whole bacteria, 747
IRMS. *See* Isotope ratio mass spectrometry
Iron-oligonucleotide complex, MALDI FT-ICR MS of, 941
Isomerization, of alkene radical ions, 577
Isotope beating effects in the analysis of polymer distributions by FTMS, 1074
Isotope ratio mass spectrometry, detecting ^{13}C by, 153
Isotope-edited product ion assignment by α -N labeling of peptides with $[^2H_3(50\%)]2,4$ -dinitrofluorobenzene, 448
Isotopomer abundances, fragmentation effects on, 430
- Laser desorption, in transmission geometry inside a FT-ICR mass spectrometer, 1105
Laser desorption–chemical ionization, in detection of pharmaceutical compounds in tissue, 1315
Laser desorption/ionization, 1-(2-benzothiazolyl)-3,5-diphenyl formazan complex formation with transition metals under, 339
Laser-induced azido photochemistry, fingerprint patterns from, 1337
LC-MS/MS. *See* Liquid chromatography–tandem mass spectrometry
LD/CI. *See* Laser desorption–chemical ionization
LDI. *See* Laser desorption/ionization
Letter to the editor, on high resolution MS, 661
Leucine and isoleucine anions, separation by ESI-FAIMS-MS, 1279
Leucine enkephalin, ESI-FAIMS-MS of, 492
LHRH-metal ion complexes. *See* Luteinizing hormone-releasing hormone-metal ion complexes
Library, mass spectral, 287, 565
Lipid peroxidation, product of, peptides modified with, MS/MS of, 613
Lipophilic phosphotriesters, FAB MS/MS of, 975
Liquid chromatography and electrospray mass spectrometric mapping of peptides from human plasma filtrate, 45
Liquid chromatography–mass spectrometry
 global view of, 78
 postcolumn derivatization, chemical weapons-related compound detection using, 440
Liquid chromatography–tandem mass spectrometry
 to detect steroids in human urine, 1322
 intelligent automated, Indinavir metabolite identification by, 175
Lithium adducts of unsaturated fatty acids, ESI-MS of, using CAD, 600
Luteinizing hormone-releasing hormone-metal ion complexes, MALDI-FTMS of, 19
 M_2^+ -molecular ions, in sputtering processes, formation of, 246
 $[M + 4H]^{4+}$ ions from insulin chain B, gas-phase reactivity and dissociation from, cysteic acid group effect on, 928
- Magnet
 high homogeneity resistive, FT-ICR MS in, 265
 split pair, high pressure chemistry in FT-ICR MS using, 918
MALDI. *See* Matrix-assisted laser desorption/ionization
MALDI-PSD. *See* Matrix-assisted laser desorption/ionization–post-source decay
Mass spectra, reference, to identify unknowns, 1229
Mass spectral library, 287, 565
Mass spectrometric and tandem mass spectrometric behavior of nitrocatechol glucuronides: comparison of APCI and ESI, 537
Mass spectrometry
 automated high resolution, for synthetic chemistry, 546
 of binding of aldose reductase inhibitors, 635
 in depth profiling of cubic silver halide microcrystals, 1016
 in diagnosis of disease, 561
 high resolution, 661
 high throughput open access, automation and, 1174
 of hydrogen/deuterium exchange of proteins
 continuous *versus* pulsed labeling, 675
 in solution, 671, 672
 on-line laser, of airborne particles, 648
 profiling of whole bacteria by, electron and chemical ionization modes in, 747
 thermal ionization cavity source for, 1008
Mass spectrometry PittCon'99 review, 457

- Mass spectrum that today is rarely seen, 76
- Matrix-assisted laser desorption/ionization
 in detection of pharmaceutical compounds in tissue, 1315
 differentiation of isomeric photomodified oligodeoxynucleotides by fragmentation of ions produced by, 329
 of DNA secondary structure, 521
 effect of poly(ethylene terephthalate) oligomers cationized by alkali ions on, 329
 laser-induced azido photochemistry in, fingerprint patterns from, 1337
 of peptide conformational changes, 719
 of peptides and proteins, 91
 proton transfer reactions of, 1111
 sample preparation by, TOFMS of, 104
 ultraviolet, of DNA fragment ions, 423
- Matrix-assisted laser desorption/ionization mass spectrometry
 of bacteria, internal control for, 1131
 solution-phase zinc finger peptide complexation by, 27
 ultraviolet, of MRP8 and MRP14 calcium-induced tetramers, 1124
- Matrix-assisted laser desorption/ionization–Fourier transform mass spectrometry
 of iron-oligonucleotide complex, 941
 of LHRH-metal ion complexes, 19
- Matrix-assisted laser desorption/ionization–mass spectrometry, phosphopeptide detection by, 35
- Matrix-assisted laser desorption/ionization–post-source decay charge-remote fragmentations under, 217
 of peptides and proteins, 91
- Matrix-assisted laser desorption/ionization–time-of-flight instrument, automated MS imaging with, 67
- Matrix-assisted laser desorption/ionization–time-of-flight mass spectrometry
 of gel-separated proteins, 512, 784
 in photodissociation of substance P, 1038
 of silsesquioxane molecular structure, 224
 of triacylglycerols and whole oils, 983
- Matrix-shimmed ion cyclotron resonance ion trap simultaneously optimized for excitation, detection, quadrupolar axialization, and trapping, 759
- Metal-ion binding and limited proteolysis of betabellin 15D, a designed beta-sandwich protein, 969
- Metal/polyether/pyridyl ligand complexes, in quadrupole ion trap mass spectrometer, 126
- Methyl 2-methyl butanoate ions, ethene loss kinetics of, 200
- Microcystins, ESI-MS of, 1138
- Modeling deuterium exchange behavior of ERK2 using pepsin mapping to probe secondary structure, 685
- Molecular ion fragmentation and its effects on mass isotopomer abundances of fatty acid methyl esters ionized by electron impact, 430
- Molecular structure of silsesquioxanes determined by MALDI-TOFMS, 224
- Molecule fragmentation, when sliding on surfaces, velocity and, 471
- MRP8 and MRP14, calcium-induced tetramers of, UV MALDI-MS of, 1124
- MS/MS. *See* Tandem mass spectrometry
- Multistep tandem mass spectrometry for sequencing cyclic peptides in an ion-trap mass spectrometer, 732
- Nanoelectrospray, more than minimized-flow ESI source, 300
- Nanoelectrospray mass spectrometry
 electrochemical properties of, 309
 to monitor protein reactions, 112
- Nitrocatechol glucuronides, APCI and ESI of, 537
- Nomenclature system for labeling cyclic peptide fragments, 360
- Nonlinear ion acceleration for improved space focusing in TOFMS, 1067
- Novel electric ion resonance cell design with high signal-to-noise ratio and low distortion for FTMS, 1000
- Novel nonmetallized tip for EMS at nanoliter flow rate, 72
- Novel tandem quadrupole mass analyzer, 1053
- Obituary
 Ben S. Freiser, 917
 Allan Maccoll, 782
 Robert R. Squires, 798
- Observation of sodium gel-induced protein modifications in dodecylsulfate polyacrylamide gel electrophoresis and its implications for accurate molecular weight determination of gel-separated proteins by MALDI-TOFMS, 512, 784
- Octafluoropentyl chloroformate, derivatization mediated by, ultratrace determination of hydrophilic compounds by, 1328
- Oils, whole, MALDI-TOFMS of, 983
- Oligodeoxynucleotides, isomeric photomodified, differentiation of by MALDI and ESI, 329
- On-line acquisition, analysis, and E-mailing of high-resolution exact-mass electron impact/chemical ionization mass spectrometry data acquired using an automated direct probe, 1212
- Oxazinones, stereospecific fragmentation of, 393
- Oxonium ions, fragmentation of, 386
- Oxygen, benzenedicarboxylic ester molecular ion collision with in quadrupole mass spectrometer, 1248
- Particle-in-cell code, three-dimensional, for realistic simulation of ICR MS, 136
- Peak splitting with a quadrupole mass filter operated in the second stability region, 1263
- Pepsin mapping, of deuterium exchange behavior of ERK2, 685
- Peptides
 analysis of, sheathless CZE-MS applied to, 1271
 conformational changes in, MALDI and H/D studies of, 719
 cyclic, multistep MS/MS for sequencing of, 732
 identification of by MALDI and MALDI–post-source decay TOFMS, 91
 ions of, proton affinities of, ESI-MS of, 483
 modified with *trans*-2-hexenal, MS/MS of, 613
 in plasma, mapping of with EMS, 45
 segments of, proton affinities of, 1
 small singly charged, aggregates of, 347
 thermal energy and its distribution in, calculation of, 323
- PES. *See* Photoelectron spectroscopy
- Pharmaceutical compound detection in tissue, MALDI and LD/CI in, 1315
- Phosphopeptides, MALDI-MS detection of, 35
- Photoelectron spectroscopy
 of CH_3I^- anion, 810
 of the trimethylenemethane negative ion, 800
- Pilocarpine, reaction sites of, 209
- Plasma, atorvastatin and active metabolites in, HPLC-MS/MS of, 55
- Plasma mass spectrometry, space-charge effects in, 159
- Plasma peptides, LC-MS mapping of, 45
- Polarizability and inductive effect contributions to solvent-cation binding observed in ESI-MS, 254
- Poly(ethylene)glycol, external ion accumulation of, by ESI-FTMS, 1298
- Poly(ethylene terephthalate) oligomers cationized by alkali ions: structures, energetics, and their effect on mass spectra and the MALDI process, 883
- Polymer distributions, FTMS of, isotope beating effects in, 1074

- Polypropylenamine dendrimers, dissociation of, 414
- Polyunsaturated fatty acid methyl esters, CI-MS/MS of, 1253
- Postcolumn derivatization liquid chromatography–mass spectrometry for detection of chemical-weapons-related compounds, 440
- Preparation and photoelectron spectrum of the CH_3I^- anion: rare gas cluster-mediated synthesis of an ion-radical complex, 810
- Pressure limited sustained off-resonance irradiation for collision-activated dissociation in FTMS, 15
- Proteins
- electroeluted from gels, electrospray MS from, 453
 - gaseous ions of, hydroiodic acid attachment kinetics of, 552
 - gel-separated, MALDI-TOFMS of, 512, 784
 - hydrogen/deuterium exchange of
 - continuous *versus* pulsed labeling/MS of, 675
 - in solution, 671, 672 - reactions of, nanoelectrospray MS monitoring of, 112
- Proton affinities
- ESI-MS determination of, 483
 - of the N- and C-terminal segments arising upon the dissociation of the amide bond in protonated peptides, 1
 - of SO_3 , 856
- Proton transfer reactions of matrix-assisted laser desorption/ionization matrix monomers and dimers, 1111
- Pyrolysis mass spectrometry, cell culture media investigation by, 502
- Pyrrolo[2,1-*b*][1,3]oxazin-6-one derivatives, isomers of, stereospecific fragmentation of, 393
- Quadrupole ion trap
- anomericity of glycosidic bond by, 269
 - applications of external customized waveforms to, 355
 - in detection of pharmaceutical compounds in tissue, 1315
- Quadrupole ion trap mass spectrometry. *See also* Ion trap mass spectrometry
- dissociation of doubly charged transition metal/polyether/pyridyl ligand complexes in, 126
 - distinction among isomeric unsaturated fatty acids as lithiated adducts by ESI-MS using low energy CAD on, 600
 - transition metal/polyether/pyridyl ligand complexes in, 126
- Quadrupole mass analyzer, 1053
- Quadrupole mass filter, peak splitting with, 1263
- Quadrupole mass spectrometer, benzenedicarboxylic ester molecular ion collision with oxygen in quadrupole mass spectrometer, 1248
- Quadrupole time-of-flight mass spectrometry, for structural elucidation of drug metabolites, 1305
- Quantitative secondary ion MS depth profiling of surface layers of cubic silver halide microcrystals, 1016
- Rate constants for the reactions of Ar^+ with CO_2 and SO_2 as a function of temperature (300–1500 K), 815
- Reactivity of $\text{Cl-P}^+-\text{Cl}$ toward cyclic organic ethers, 379
- Realistic simulation of ICR-MS using a distributed three-dimensional particle-in-cell code, 136
- Relaxation of vibrationally excited gas-phase $\text{Cr}(\text{CO})_5^-$, 950
- Review
- of 11th Sanibel Conference on Mass Spectrometry: Mass Spectrometry in Clinical Diagnosis of Disease, 561
 - of Mass Spectrometry PittCon'99, 457
- Ru^+ , activation of C_2H_6 , C_3H_8 , $\text{HC}(\text{CH}_3)_3$, and $c\text{-C}_3\text{H}_6$ by, 821
- Saccharomicins, structural validation of, by FT-ICR MS, 1285
- Salt concentration, analyte response and, ESI-MS of, 625
- 11th Sanibel Conference on Mass Spectrometry: Mass Spectrometry in Clinical Diagnosis of Disease, review of, 561
- Screening for drugs in serum by ESI/CID and library searching, 1028
- Separation and detection of the α - and β -chains of hemoglobin of a single intact red blood cell using CE/ESI TOFMS, 184
- Separation of leucine and isoleucine by ESI-FAIMS-MS, 1279
- Sequence and side-chain specific photofragment (193 nm) ions from protonated substance P by MALDI-TOFMS, 1038
- Sheathless preconcentration-capillary zone electrophoresis–mass spectrometry applied to peptide analysis, 1271
- SiF_4 , basicity and proton affinity of, 848
- Silsesquioxanes, molecular structure of, MALDI-TOFMS of, 224
- Silver halide microcrystals, depth profiling of, MS in, 1016
- Sinapic acids, deprotonated monomeric and dimeric, gas phase basicities of, 1111
- Sites of reaction of pilocarpine, 209
- SO_3 , proton affinity of, 856
- Solid-phase extraction, to detect steroids in human urine, 1322
- Solution, hydrogen/deuterium exchange of proteins in, 671, 672
- Solution-phase zinc finger peptide complexation, MALDI-MS of, 27
- Solvent-cation binding, in ESI-MS, 254
- SORI-CAD. *See* Sustained off-resonance irradiation for collision-activated dissociation
- Space focusing, in TOFMS, 1067
- Space-charge effects, in plasma mass spectrometry, 159
- Spectrum extraction and compound identification, GC/MS for, 770
- Stability conditions for multiply reflecting electrostatic ion traps, 241
- Stereospecific fragmentation processes in cycloalkane/cycloalkene-fused isomers of saturated pyrrolo[2,1-*b*][1,3]oxazin-6-one derivatives, 393
- Steroids in human urine, solid-phase extraction and LC-MS/MS in detection of, 1322
- Structural characterization of triacylglycerols as lithiated adducts by ESI-MS using low-energy CAD on a triple stage quadrupole instrument, 587
- Structural validation of saccharomicins by high resolution and high mass accuracy FT-ICR MS and infrared multiphoton dissociation MS/MS, 1285
- Structure characterization of dinucleoside and nucleoside glucopyranosides lipophilic and phosphotriesters by FAB MS/MS, 975
- Studies of structure and mechanism in acetonitrile chemical ionization tandem mass spectrometry of polyunsaturated fatty acid methyl esters, 1253
- Study of diketone/metal ion complexes by ESI-MS: influence of keto-enol tautomerism and chelation, 402
- Substance P, photodissociation of, 1038
- Surface-induced dissociation of singly and multiply protonated polypropylenamine dendrimers, 414
- Sustained off-resonance irradiation for collision-activated dissociation, in FTMS, 15
- Synthetic chemistry, automated high resolution MS for, 546
- Tandem mass spectrometry. *See also* Fast-atom bombardment tandem mass spectrometry
- APCI of fluorinated phenols in, 1157
 - in detection of pharmaceutical compounds in tissue, 1315
 - of model peptides modified with *trans*-2-hexenal, a product of lipid peroxidation, 600
 - multistep, for sequencing cyclic peptides, 732
- Tandem quadrupole mass analyzer, 1053
- Temperature, rate constants of Ar^+ reaction with CO_2 and SO_2 as function of, 815

- Theoretical calculations of glycine and alanine gas-phase acidities, 318
- Thermal energy and its distribution, in peptides, calculation of, 323
- Thermal ionization cavity, for MS, 1008
- Time-of-flight mass spectrometry. *See also* Matrix-assisted laser desorption/ionization–time-of-flight mass spectrometry of DNA fragment ions, 423
MALDI sample preparation investigation by, 104
quadrupole, for structural elucidation of drug metabolites, 1305
space focusing in, 1067
- Time-resolved measurements with single droplet introduction to investigate space-charge effects in plasma MS, 159
- Tip, nonmetallized, for EMS, 72
- TOFMS. *See* Time-of-flight mass spectrometry
- Transient intermediate, dissociation kinetics of, 119
- Transition metals
1-(2-benzothiazolyl)-3,5-diphenyl formazan complex formation with under laser desorption/ionization, 339
polyether/pyridyl ligand complexes with, in quadrupole ion trap mass spectrometer, 126
- Trans*-2-hexenal, peptides modified with, MS/MS of, 613
- Triacylglycerols
MALDI-TOFMS of, 983
structural characterization of, by ESI-MS, 587
- Trimethylenemethane negative ion, PES of, 800
- Troponin C, cardiac, small Ca^{2+} -induced conformational changes in, 703
- Ultratrace determination of highly hydrophilic compounds by 2,2,3,3,4,4,5,5-octafluoropentyl chloroformate-mediated derivatization directly in water, 1328
- Ultraviolet MALDI, of DNA fragment ions, 423
- Unknown identification using reference mass spectra: quality evaluation of databases, 1229
- Use of an internal control for MALDI-TOFMS of bacteria, 1131
- Velocity
above thermal and below Bohr, molecule fragmentation at, 471
in reflectron TOFMS, 992
- Waveforms, external customized, application to quadrupole ion trap, 355
- Zinc finger peptide complexation, solution-phase, MALDI-MS of, 27